

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	966	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L2	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L3	373	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L4	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L5	2168	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L6	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L7	10403	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L8	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L9	36	((anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L10	239	(disambiguate\$3 (anti adj alias\$3 antialias\$3)) and token and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L11	88	store\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L12	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L13	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L14	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L15	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L16	43236	"717"/((151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L17	643	disambiguat\$3 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L18	2168	disambiguat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L19	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L20	10403	disambiguat\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L21	321	(anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L22	43236	"717"/((151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L23	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L24	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L25	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L26	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L27	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L28	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L29	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L30	373	(disambiguat\$3 and compil\$5) and (disambiguat\$3 and optimiz\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L31	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L32	966	disambiguat\$3 and optimiz\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L33	643	disambiguat\$3 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L34	2168	disambiguat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L35	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L36	10403	disambiguat\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L37	321	(anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L38	43236	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L39	643	disambiguat\$3 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L40	2168	disambiguat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L41	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L42	10403	disambiguat\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L43	321	(anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L44	43236	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L45	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L46	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L47	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L48	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L49	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L50	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L51	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L52	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L53	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L54	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L55	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L56	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L57	13	("5694577" "62" "5903749" "62" "6247173" "62" "6059839" "61" "6059839" "61" "5625835" "55" "5758051" "55" "6718542" "54" "5542075" "52" "5930756" "52" "6006326" "52").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L58	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L59	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L60	373	(disambiguat\$3 and compil\$5) and (disambiguat\$3 and optimiz\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L61	373	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L62	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L63	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L64	966	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L65	966	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L66	1	"6718542".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/12/06 14:45
L67	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L68	2168	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L69	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L70	10403	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L71	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L72	43236	"717"/(151-161).ccs.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L73	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L74	2168	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L75	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L76	10403	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L77	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L78	43236	"717"/(151-161).ccs.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L79	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L80	2168	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L81	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L82	10403	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L83	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L84	43236	"717"/(151-161).ccs.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L85	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L86	2168	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L87	8264	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L88	10403	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L89	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L90	43236	"717"/((151-161).ccs.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L91	13	("5694577" "62" "5903749" "62" "6247173" "62" "6059839" "61" "6059839" "61" "5625835" "55" "5758051" "55" "6718542" "54" "5542075" "52" "5930756" "52" "6006326" "52").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L92	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L93	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L94	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L95	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L96	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L97	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L98	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L99	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L100	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L101	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L102	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L103	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L104	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L105	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L106	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L107	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L108	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L109	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L110	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L111	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L112	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L113	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L114	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L115	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L116	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L117	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L118	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L119	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L120	373	(disambiguat\$3 and compil\$5) and (disambiguat\$3 and optimiz\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45

L121	373	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L122	373	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L123	373	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L124	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L125	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L126	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L127	478	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L128	966	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L129	966	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L130	966	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
L131	966	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:45
S1	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/07 12:37

S2	37414	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/07 12:37
S3	543	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 09:28
S4	405	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 09:29
S5	237	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 13:52
S6	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 15:19
S7	1321	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:36
S8	6413	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:38
S9	7722	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:37
S10	207	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:38
S11	25	((anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:39
S12	128	(disambiguate\$3 (anti adj alias\$3 antialias\$3)) and token and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:46
S13	67	store\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:47

S14	303	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 14:48
S15	38	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/07 10:18
S16	81	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/07 12:34
S28	714	disambiguat\$3 and optimiz\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S29	497	disambiguat\$3 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S30	291	(disambiguat\$3 and compil\$5) and (disambiguat\$3 and optimiz\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S31	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S32	1641	disambiguat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S33	7170	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S34	8792	disambiguat\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S35	249	(anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S36	33	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13

S37	181	(disambiguate\$3 (anti adj alias\$3 antialias\$3)) and token and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S38	74	store\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S39	364	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S40	51	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S41	85	pointer adj substitute\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S42	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S43	42564	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:13
S44	852	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S45	573	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S46	332	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S47	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S48	1903	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20

S49	7714	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S50	9594	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S51	302	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S52	36	((anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S53	222	(disambiguate\$3 (anti adj alias\$3 antialias\$3)) and token and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S54	82	store\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S55	419	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S56	55	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S57	92	pointer adj substitute\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S58	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S59	40106	"717"/((151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S60	573	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20

S61	1903	disambiguat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S62	7714	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S63	9594	disambiguat\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S64	302	(anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S65	40106	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S66	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S67	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S68	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S69	82	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S70	55	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S71	92	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S72	222	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20

S73	332	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S74	419	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S75	852	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:20
S76	13	("5694577" "62" "5903749" "62" "6247173" "62" "6059839" "61" "6059839" "61" "5625835" "55" "5758051" "55" "6718542" "54" "5542075" "52" "5930756" "52" "6006326" "52").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:21
S77	1	"6718542".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/12/02 11:39
S78	964	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S79	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S80	373	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S81	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S82	2165	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S83	8256	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S84	10392	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39

S85	321	(anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S86	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S87	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S88	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S89	475	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S90	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S91	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S92	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S93	43175	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S94	643	disambiguat\$3 and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S95	2165	disambiguat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S96	8256	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39

S97	10392	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S98	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S99	43175	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 0	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 1	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 2	36	((anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 3	88	store\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 4	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 5	98	pointer adj substitute\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 6	239	(disambiguate\$3 (anti adj alias\$3 antialias\$3)) and token and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 7	373	(disambiguate\$3 and compile\$5) and (disambiguate\$3 and optimize\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S10 8	475	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39

S10 9	964	disambiguate\$3 and optimize\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 0	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 1	2165	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 2	8256	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 3	10392	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 4	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 5	43175	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 6	643	disambiguate\$3 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 7	2165	disambiguate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 8	8256	anti adj alias\$3 antialias\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S11 9	10392	disambiguate\$3 (anti adj alias\$3 antialias\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 0	321	(anti adj alias\$3 antialias\$3) and optimize\$5 and compile\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39

S12 1	43175	"717"/(151-161).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 2	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 3	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 4	1	"6059839".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 5	1	"6349361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 6	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 7	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 8	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S12 9	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 0	36	((anti adj alias\$3 antialias\$3) and optimiz\$5 and compil\$5) and token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 1	88	stor\$3 adj (data links information) adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 2	58	token adj (data adj structure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39

S13 3	98	pointer adj substitut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 4	13	("5694577" "62" "5903749" "62" "6247173" "62" "6059839" "61" "6059839" "61" "5625835" "55" "5758051" "55" "6718542" "54" "5542075" "52" "5930756" "52" "6006326" "52").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 5	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 6	239	(disambiguat\$3 (anti adj alias\$3 antialias\$3)) and token and compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 7	373	(disambiguat\$3 and compil\$5) and (disambiguat\$3 and optimiz\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 8	373	(disambiguat\$3 and compil\$5) and (disambiguat\$3 and optimiz\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S13 9	475	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S14 0	475	interface adj token	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S14 1	964	disambiguat\$3 and optimiz\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39
S14 2	964	disambiguat\$3 and optimiz\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/02 11:39